GEROPON HW 25 N

PRODUCT DATA SHEET E 90064538 - August 2012

IDENTIFICATION

ALKYL POLYETHER CARBOXYLIC ACID

SPECIFICATIONS

Colour Gardner	5 max.	540MA3C67
Water content (K.F.)	8.0 – 11.5	540ME3C24
NaCl content (%)	1.2 max.	540MA3C10
Acid number (mg KOH/g)	85 – 95	540MA3C21

TYPICAL PROPERTIES

Ionic character	Anionic
Appearance 20°C	Pale yellow liquid
Active content (%)	90 approx.
Flash point (°C)	> 100
Pour point (°C)	< 0
Density 20°C (g/cm^3)	1.05
Solubility	Soluble in water and most polar solvents. Dispersible in aromatic solvents.

STANDARD APPLICATIONS

Anionic emulsifier for Metail Working Fluids and lime soap dispersant.

GEROPON HW 25 N can provide excellent hard water resistance to aqueous Metal Working Fluids.

STANDARD PACKAGING

4 Plastic drums 200 Kg / Pal. 800 Kg

Plastic container 1000 Kg / Pal.

SHELF LIFE

550 days

WARNING
The information contained in this document is given in good faith and based on our current knowledge. It is only an indication and is in no way binding, notably as regards infringement of or prejudice to third parties through the use of our products.
RHODIA GUARANTEES THAT ITS PRODUCTS COMPLY WITH ITS SALES SPECIFICATIONS.
This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for a given use.
Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorisations.
Users are requested to check that they are in possession of the latest version of the present document and RHODIA is at their disposal to supply any additional information.